

**MATH 1553, JANKOWSKI  
MIDTERM 1, SPRING 2018, LECTURE C**

<b>Name</b>		<b>GT Email</b>	
-------------	--	-----------------	--

Write your section number here: \_\_\_\_\_

Please **read all instructions** carefully before beginning.

- Please leave your GT ID card on your desk until your TA matches your exam.
- The maximum score on this exam is 50 points.
- You have 50 minutes to complete this exam.
- There are no aids of any kind (notes, text, etc.) allowed.
- Please show your work. If you cannot fit your work on the front side of the page, use the back side of the page as indicated.
- We will hand out loose scrap paper, but it **will not be graded** under any circumstances. All work must be written on the exam itself.
- You may cite any theorem proved in class or in the sections we covered in the text.
- Good luck!



## Problem 1.

[2 points for each part]

These problems are true or false. Circle **T** if the statement is *always* true. Otherwise, answer **F**. You do not need to justify your answer.

- a) **T** **F** The augmented matrix  $\left(\begin{array}{ccc|c} 0 & 1 & 0 & 2 \\ 0 & 0 & 1 & -3 \end{array}\right)$  is in reduced row echelon form.
- b) **T** **F** A system of three linear equations in four variables can have exactly one solution.
- c) **T** **F** The equation  $\begin{pmatrix} 1 & -1 & 2 \\ 0 & 4 & 3 \end{pmatrix}x = b$  is consistent for every  $b$  in  $\mathbf{R}^2$ .
- d) **T** **F** If  $A$  is an  $m \times n$  matrix and  $Ax = b$  has a unique solution for some  $b$  in  $\mathbf{R}^m$ , then  $Ax = 0$  has only the trivial solution.
- e) **T** **F** If  $A$  is a  $3 \times 4$  matrix and the solution set for  $Ax = 0$  is a line, then  $A$  has 2 pivots.

**Extra space for scratch work on problem 1**

## Problem 2.

[11 points]

Show your work on parts (a) and (d) (no work necessary for (b) or (c)).

a) Compute  $\begin{pmatrix} 2 & -1 & 1 \\ 3 & 0 & -1 \end{pmatrix} \begin{pmatrix} 3 \\ -2 \\ 0 \end{pmatrix}$ .

b) Write three different vectors  $v_1, v_2, v_3$  in  $\mathbf{R}^3$  so that  $\text{Span}\{v_1, v_2, v_3\}$  is only a plane.

c) Write an *augmented*  $3 \times 3$  matrix in reduced row echelon form whose corresponding system of linear equations is *inconsistent*, and which has a pivot in every row.

d) Find all solutions to the vector equation

$$x_1 \begin{pmatrix} 2 \\ -4 \\ 1 \end{pmatrix} + x_2 \begin{pmatrix} 4 \\ 1 \\ -2 \end{pmatrix} = \begin{pmatrix} 2 \\ 14 \\ -7 \end{pmatrix}.$$

If there are no solutions, justify why the vector equation is inconsistent.

**Extra space for work on problem 2**

### Problem 3.

[10 points]

Fairway Frank is infatuated with the system of linear equations given by

$$3x - 4y = 2$$

$$6x + hy = k,$$

where  $h$  and  $k$  are some real numbers.

- a) Determine all values of  $h$  and  $k$  (if there are any) so that the system of equations is inconsistent.
- b) Determine all values of  $h$  and  $k$  (if there are any) so that the system of equations has infinitely many solutions.

**Extra space for work on problem 3**



**Problem 4.**

[12 points]

Consider the system of equations in  $x_1$ ,  $x_2$ ,  $x_3$ , and  $x_4$  given below.

$$x_1 - x_2 - 2x_3 + 2x_4 = -7$$

$$-x_1 + x_2 + x_3 - 2x_4 = 5$$

$$-4x_1 + 4x_2 + 6x_3 - 8x_4 = 24.$$

- a) Write this system of linear equations as a vector equation.
- b) Write this system of linear equations as a matrix equation  $Ax = b$ . Specify every entry of  $A$ ,  $x$ , and  $b$ .
- c) Put an augmented matrix into reduced row echelon form to solve the system of equations. Write your answer in parametric vector form.

**Extra space for work on problem 4**

## Problem 5.

[7 points]

Parts (a) and (b) are unrelated.

a) Write a  $3 \times 3$  matrix  $A$  in reduced row echelon form, with the property that the solution set to  $Ax = 0$  is  $\text{Span} \left\{ \begin{pmatrix} 1 \\ 0 \\ 2 \end{pmatrix} \right\}$ . Briefly justify your answer.

b) Write a vector  $b$  in  $\mathbf{R}^3$  which is *not* a linear combination of  $\begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix}$  and  $\begin{pmatrix} 0 \\ 0 \\ -1 \end{pmatrix}$ .  
You do not need to justify your answer.

**Extra space for work on problem 5**