MATH 1553, JANKOWSKI MIDTERM 2, FALL 2019

Name		Section	
------	--	---------	--

Please **read all instructions** carefully before beginning.

- Write your name on the front of each page (not just the cover page!).
- The maximum score on this exam is 50 points, and you have 50 minutes to complete this exam.
- There are no calculators or aids of any kind (notes, text, etc.) allowed.
- As usual: RREF means "reduced row echelon form."
- As usual: e_1, e_2, \ldots, e_n denote the standard unit coordinate vectors in \mathbb{R}^n .
- Show your work, unless instructed otherwise. A correct answer without appropriate work will receive little or no credit! If you cannot fit your work on the front side of the page. use the back side of the page and indicate that you are using the back side.
- We will hand out loose scrap paper, but it **will not be graded** under any circumstances. All work must be written on the exam itself.
- You may cite any theorem proved in class or in the sections we covered the text.
- Good luck!

This page was intentionally left blank.

These problems are true or false. Circle **T** if the statement is *always* true. Otherwise, circle F. You do not need to justify your answer, and there is no partial credit. a) Т F Suppose A is an $n \times n$ matrix and the equation Ax = b has infinitely many solutions for some b in \mathbf{R}^n . Then A is not invertible. Т F If *A* is an $n \times n$ matrix and the transformation given by T(x) = Axb) is invertible, then Nul(A) = Col(A). The set $V = \left\{ \begin{pmatrix} x \\ y \\ z \\ w \end{pmatrix}$ in $\mathbf{R}^4 \mid x - 3y + 2z + w = 0 \right\}$ is a F Т c) 3-dimensional subspace of \mathbf{R}^4 . d) Т F Suppose *A* is an $m \times n$ matrix and m < n. Then the matrix transformation T(x) = Ax is not onto. If *A* is a $k \times 5$ matrix and the columns of *A* form a basis for \mathbf{R}^k , e) Т F then k = 5.

Extra space for scratch work on problem 1

Short answer. Show your work in part (a). **a)** Let $A = \begin{pmatrix} 1 & -3 \\ 2 & 3 \end{pmatrix}$. Find A^{-1} . **b)** Suppose *A* is a 4×5 matrix. Which of the following statements must be true? Clearly circle all that apply. (i) If dim(Nul A) = 2, then Col(A) = \mathbf{R}^{3} . (ii) The matrix transformation T(x) = Ax is not one-to-one. c) Suppose $T : \mathbb{R}^4 \to \mathbb{R}^3$ is an *onto* linear transformation with standard matrix A, so T(x) = Ax. Which of the following statements *must* be true? Clearly circle all that apply. (i) The matrix A has exactly three pivot columns. (ii) For each vector v in \mathbb{R}^3 , there is at least one vector x in \mathbb{R}^4 so that T(x) = v. (iii) For each vector x in \mathbf{R}^4 , there is a vector v in \mathbf{R}^3 so that T(x) = v. (iv) Span $\{T(e_1), T(e_2), T(e_3), T(e_4)\} = \mathbf{R}^3$. **d)** Let $V = \left\{ \begin{pmatrix} x \\ y \end{pmatrix} \text{ in } \mathbb{R}^2 \mid x \ge y \right\}$. Which properties of a subspace does V satisfy? Clearly circle all that apply. (i) V contains the zero vector. (ii) V is closed under addition. (iii) *V* is closed under scalar multiplication.

Let $T : \mathbf{R}^2 \to \mathbf{R}^2$ be the linear transformation of rotation counterclockwise by 45°, and let $U : \mathbf{R}^2 \to \mathbf{R}^3$ be the linear transformation given by

$$U\begin{pmatrix} x_1\\ x_2 \end{pmatrix} = \begin{pmatrix} 3x_1 + 2x_2\\ x_2\\ x_2 - x_1 \end{pmatrix}.$$

a) Write the standard matrix *A* for *T*. Simplify your answer (do not leave it in terms of sines and cosines).

b) Find the standard matrix *B* for *U*.

- **c)** Circle the composition that makes sense: $T \circ U$ $U \circ T$.
- **d)** (Unrelated to (a) through (c)) Let $R : \mathbb{R}^2 \to \mathbb{R}^2$ be the linear transformation that first performs reflection across the line y = x, then does reflection across the *y*-axis. Find the standard matrix *C* for *R*.



