## Chapter 2

Systems of Linear Equations: Algebra

### Section 2.1

Systems of Linear Equations

### Line, Plane, Space, ...

Recall that **R** denotes the collection of all real numbers, i.e. the number line. It contains numbers like  $0,-1,\pi,\frac{3}{2},\ldots$ 


#### Definition

Let n be a positive whole number. We define

$$\mathbf{R}^n$$
 = all ordered *n*-tuples of real numbers  $(x_1, x_2, x_3, \dots, x_n)$ .

### Example


When n=1, we just get **R** back:  $\mathbf{R}^1=\mathbf{R}$ . Geometrically, this is the *number line*.



# Line, Plane, Space, ...

### Example

When n=2, we can think of  ${\bf R}^2$  as the *plane*. This is because every point on the plane can be represented by an ordered pair of real numbers, namely, its *x*-and *y*-coordinates.




We can use the elements of  $\mathbf{R}^2$  to *label* points on the plane, but  $\mathbf{R}^2$  is not defined to be the plane!

# Line, Plane, Space, ... Continued

### Example

When n=3, we can think of  ${\bf R}^3$  as the *space* we (appear to) live in. This is because every point in space can be represented by an ordered triple of real numbers, namely, its x-, y-, and z-coordinates.




Again, we can use the elements of  $\mathbf{R}^3$  to *label* points in space, but  $\mathbf{R}^3$  is not defined to be space!

## Line, Plane, Space, ...

### Example

All colors you can see can be described by three quantities: the amount of red, green, and blue light in that color. So we could also think of  $\mathbb{R}^3$  as the space of all *colors*:

$$\mathbf{R}^3 = \text{all colors } (r, g, b).$$



Again, we can use the elements of  $\mathbf{R}^3$  to *label* the colors, but  $\mathbf{R}^3$  is not defined to be the space of all colors!

# Line, Plane, Space, ....

So what is  $\mathbb{R}^4$ ? or  $\mathbb{R}^5$ ? or  $\mathbb{R}^n$ ?

 $\dots$ go back to the *definition*: ordered *n*-tuples of real numbers

$$(x_1, x_2, x_3, \ldots, x_n).$$

They're still "geometric" spaces, in the sense that our intuition for  $\mathbb{R}^2$  and  $\mathbb{R}^3$  sometimes extends to  $\mathbb{R}^n$ , but they're harder to visualize.

Last time we could have used  $\mathbf{R}^4$  to label the amount of traffic (x, y, z, w) passing through four streets.



We'll make definitions and state theorems that apply to any  $\mathbf{R}^n$ , but we'll only draw pictures for  $\mathbf{R}^2$  and  $\mathbf{R}^3$ .

### One Linear Equation

What does the solution set of a linear equation look like?


x + y = 1 www a line in the plane: y = 1 - xThis is called the **implicit equation** of the line.



We can write the same line in parametric form in  $\mathbf{R}^2$ :

$$(x, y) = (t, 1-t)$$
 t in **R**.

This means that every point on the line has the form (t, 1-t) for some real number t.



#### Aside

What is a line? A ray that is *straight* and infinite in both directions.

# One Linear Equation Continued

What does the solution set of a linear equation look like?

x + y + z = 1 www a plane in space: This is the **implicit equation** of the plane.

[interactive]

Does this plane have a parametric form?

$$(x, y, z) = (t, w, 1 - t - w)$$
 t, w in **R**.

Note: we are *labeling* the points on the plane by elements (t, w) in  $\mathbb{R}^2$ .

#### Aside


What is a plane? A flat sheet of paper that's infinite in all directions.

### One Linear Equation Continued

What does the solution set of a linear equation look like?

$$x + y + z + w = 1$$
  $\longrightarrow$  a "3-plane" in "4-space"... [not pictured here]

Is the plane from the previous example equal to  $\mathbb{R}^2$ ?




No! Every point on this plane is in  ${\bf R}^3$ : that means it has three coordinates. For instance, (1,0,0). Every point in  ${\bf R}^2$  has two coordinates. But we can *label* the points on the plane by  ${\bf R}^2$ .

### Systems of Linear Equations

What does the solution set of a *system* of more than one linear equation look like?

$$x - 3y = -3$$
$$2x + y = 8$$

... is the *intersection* of two lines, which is a *point* in this case.



In general it's an intersection of lines, planes, etc.


[two planes intersecting]

#### Kinds of Solution Sets

In what other ways can two lines intersect?

$$x - 3y = -3$$
$$x - 3y = 3$$

has no solution: the lines are parallel.




A system of equations with no solutions is called **inconsistent**.

### Kinds of Solution Sets

In what other ways can two lines intersect?

$$x - 3y = -3$$
$$2x - 6y = -6$$

has infinitely many solutions: they are the *same line*.



Note that multiplying an equation by a nonzero number gives the *same* solution set. In other words, they are equivalent (systems of) equations.

### Summary

- ightharpoonup 
  igh
- ▶ **R**<sup>n</sup> can be used to label geometric objects, like **R**<sup>2</sup> can label points in the plane.
- The solutions of a system equations look like an intersection of lines, planes, etc.
- Finding all the solutions means finding a parametric form of the system of equations.