MATH 1553, SPRING 2024 SAMPLE MIDTERM 1B: COVERS THROUGH SECTION 2.4

Name		GT ID	
------	--	-------	--

Circle your instructor and lecture below. Some professors teach more than one lecture, so be sure to circle the correct choice!

Jankowski (A and HP, 8:25-9:15 AM) Jankowski (G, 12:30-1:20 PM)

Hausmann (I, 2:00-2:50 PM) Sanchez-Vargas (M, 3:30-4:20 PM)

Athanasouli (N and PNA, 5:00-5:50 PM)

Please **read all instructions** carefully before beginning.

- Write your initials at the top of each page.
- The maximum score on this exam is 70 points, and you have 75 minutes to complete this exam. Each problem is worth 10 points.
- There are no calculators or aids of any kind (notes, text, etc.) allowed.
- As always, RREF means "reduced row echelon form."
- The "zero vector" in \mathbb{R}^n is the vector in \mathbb{R}^n whose entries are all zero.
- On free response problems, show your work, unless instructed otherwise. A correct answer without appropriate work may receive little or no credit!
- We will hand out loose scrap paper, but it **will not be graded** under any circumstances. All answers and work must be written on the exam itself, with no exceptions.
- This exam is double-sided. You should have more than enough space to do every problem on the exam, but if you need extra space, you may use the *back side of the very last page of the exam*. If you do this, you must clearly indicate it.
- You may cite any theorem proved in class or in the sections we covered in the text.
- Good luck!

This is a practice exam. It is meant to be similar in format, length, and difficulty to the real exam. It is **not** meant as a comprehensive list of study problems. We recommend completing the practice exam in 75 minutes, without notes or distractions.

This page was intentionally left blank.

Problem 1.

These problems are true or false. Circle **T** if the statement is *always* true. Otherwise, circle **F**. You do not need to justify your answer, and there is no partial credit.

- a) \mathbf{T} \mathbf{F} The matrix $\begin{pmatrix} 1 & -2 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}$ is in reduced row echelon form.
- b) T F A system of 3 linear equations in 4 variables can have exactly one solution.

c) **T** F The vector equation $x_1 \begin{pmatrix} 1 \\ -1 \end{pmatrix} + x_2 \begin{pmatrix} 2 \\ -2 \end{pmatrix} = \begin{pmatrix} 2 \\ 2 \end{pmatrix}$ is consistent.

d) **T F** Suppose *A* is an 4×3 matrix whose first column is the sum of its second and third columns. Then the equation Ax = 0 has infinitely many solutions.

e) **T F** If *A* is an $m \times n$ matrix and m > n, then then there is at least one vector b in \mathbb{R}^m which is not in the span of the columns of A.

Problem 2.

Short answer. You do not need to show your work or justify your answer.

- a) Complete the following mathematical definition of linear combination (be mathematically precise!): Let v_1, v_2, \dots, v_p , and w be vectors in \mathbf{R}^n . We say w is a *linear combination* of v_1, \dots, v_p if...
- **b)** Are there three nonzero vectors v_1 , v_2 , v_3 in \mathbf{R}^3 so that $\mathrm{Span}\{v_1, v_2, v_3\}$ is a plane but v_3 is not in $\mathrm{Span}\{v_1, v_2\}$? If your answer is yes, write such vectors v_1 , v_2 , v_3 and label each vector clearly.

c) Write a matrix *A* with the property that the equation $Ax = \begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix}$ is consistent.

d) Suppose *A* is a 2×3 matrix and ν is some vector so that the set of solutions to $Ax = \nu$ has parametric form

$$x_1 = 1 + x_3$$
 $x_2 = 2 - x_3$ $x_3 = x_3$ (x_3 free).

Which of the following must be true? Circle all that apply.

- (i) The solution set for Ax = 0 is Span $\left\{ \begin{pmatrix} 1 \\ -1 \\ 1 \end{pmatrix} \right\}$.
- (ii) For each b in \mathbb{R}^2 , the equation Ax = b is consistent.
- (iii) ν is not the zero vector.

Problem 3.

Short answer. You do not need to show your work or justify your answers except in part (d), and there is no partial credit except in part (d).

- a) Suppose A is a 3×3 matrix and b_1 and b_2 are vectors in \mathbb{R}^3 . Answer each of the following questions.
 - (i) Is it possible for $(A \mid b_1)$ to have a unique solution and $(A \mid b_2)$ to have infinitely many solutions? YES NO
 - (ii) Is it possible for $(A \mid b_1)$ to have a unique solution and $(A \mid b_2)$ to be inconsisent? YES NO
- **b)** Suppose we are given a consistent linear system of 4 equations in 5 variables, and suppose that the augmented matrix corresponding to the system has 3 pivots. Then the solutions to the system is a:

- c) Suppose that the plane $x_1 4x_2 + x_3 = 0$ is the set of solutions to the matrix equation Ax = 0, and suppose that $\begin{pmatrix} -3 \\ 1 \\ 2 \end{pmatrix}$ is a solution to $Ax = \begin{pmatrix} 2 \\ 1 \\ 0 \end{pmatrix}$.
 - (i) Is it true that $A \begin{pmatrix} 4 \\ 1 \\ 0 \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$? YES NO
 - (ii) Is it true that $\begin{pmatrix} 1 \\ 2 \\ 2 \end{pmatrix}$ is a solution to $Ax = \begin{pmatrix} 2 \\ 1 \\ 0 \end{pmatrix}$? YES NO
- **d)** Find all values of a (if there are any) so that the following matrix is in reduced row echelon form: $\begin{pmatrix} 1 & -2 & -1 \\ 0 & a & 1 \\ 0 & 0 & 0 \end{pmatrix}$. Briefly justify your answer.

Problem 4.

Free response. Show all work and justify answers as appropriate.

a) Consider the following system of linear equations.

$$x + 2y + z = d$$
$$3y - 3z = 6$$

$$-2x - 4y + cz = 7$$

(i) For which values of c and d will the linear system be inconsistent?

(ii) For which values of c and d will the linear system have infinitely many solutions? Write the solutions in parametric form with these values of c and d.

b) Find all values of h so that $\begin{pmatrix} 3 \\ -1 \\ h \end{pmatrix}$ is a linear combination of $\begin{pmatrix} 1 \\ 0 \\ 1 \end{pmatrix}$ and $\begin{pmatrix} 1 \\ 1 \\ 3 \end{pmatrix}$

Problem 5.

Free response. Show all work and justify answers as appropriate.

Consider the following linear system of equations in the variables x_1 , x_2 , x_3 :

$$x_1 - 2x_2 + 2x_3 = 1$$

$$5x_1 - 10x_2 + 12x_3 = -3$$

$$-3x_1 + 6x_2 - 6x_3 = -3$$

$$2x_1 - 4x_2 + 5x_3 = -2$$

a) Write the augmented matrix corresponding to this system, and put the augmented matrix into RREF.

b) The system is consistent. Write the set of solutions to the system of equations in parametric vector form.


c) Write *one* specific vector that solves the system of equations.

Problem 6.

Parts (a) and (b) are unrelated. Show your work and justify your answers.


a) Write an augmented matrix in RREF representing a system of three equations in two unknowns, whose solution set is the line $x_2 = 2x_1$ in \mathbf{R}^2 .

b) Let $A = \begin{pmatrix} 2 & -4 \\ 1 & -2 \end{pmatrix}$. Draw the span of the columns of A below.



Problem 7.

Consider the following picture involving the two vectors v and w. The diagonal grid lines represent movement by various amounts along the vectors v and w.



a) For each of the labeled points, estimate the coefficients x, y such that the linear combination xy + yw is the vector ending at that point.

$$\underline{\hspace{1cm}} v + \underline{\hspace{1cm}} w = a$$

$$\underline{\hspace{1cm}} v + \underline{\hspace{1cm}} w = b$$

$$\underline{\hspace{1cm}} v + \underline{\hspace{1cm}} w = c$$

$$\underline{\hspace{1cm}} v + \underline{\hspace{1cm}} w = d$$

b) Find two vectors p,q in \mathbb{R}^2 such that *none* of the points a,b,c,d,e is in Span $\{p,q\}$. You don't need to show your work in this problem.

This page is reserved ONLY for work that did not fit elsewhere on the exam.

If you use this page, please clearly indicate (on the problem's page and here) which problems you are doing.