

Math 1553 Worksheet §2.5, 2.6, 2.7, 2.9, 3.1

- 1.** If the statement is always true, circle TRUE. Otherwise, circle FALSE. Justify your answer.

a) Suppose $A = \begin{pmatrix} v_1 & v_2 & v_3 \end{pmatrix}$ and $A \begin{pmatrix} -3 \\ 2 \\ 7 \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$. Must v_1, v_2, v_3 be linearly dependent? If true, write a linear dependence relation for the vectors.
TRUE FALSE

b) If A is an $m \times n$ matrix whose columns are linearly independent, then $Ax = b$ must have at least one solution for each b in $\mathbf{R}^m$.
TRUE FALSE

2. Circle **TRUE** if the statement is always true, and circle **FALSE** otherwise.

a) If A is a 3×10 matrix with 2 pivots, then $\dim(\text{Nul } A) = 8$ and $\text{rank}(A) = 2$.

TRUE


FALSE

b) If $\{a, b, c\}$ is a basis of a subspace V , then $\{a, a + b, b + c\}$ is a basis of V as well.

TRUE

FALSE

3. Write a matrix A so that $\text{Col}(A)$ is the solid blue line and $\text{Nul}(A)$ is the dotted red line drawn below.



4. Let $A = \begin{pmatrix} 1 & -5 & -2 & -4 \\ 2 & 3 & 9 & 5 \\ 1 & 1 & 4 & 2 \end{pmatrix}$, and let T be the matrix transformation associated to A , so $T(x) = Ax$.

a) What is the domain of T ? What is the codomain of T ? Give an example of a vector in the range of T .

b) This is extra practice in case the studio finishes the rest of the worksheet early.

The RREF of A is $\begin{pmatrix} 1 & 0 & 3 & 1 \\ 0 & 1 & 1 & 1 \\ 0 & 0 & 0 & 0 \end{pmatrix}$.

(i) Write bases for $\text{Col}(A)$ and $\text{Nul}(A)$.

(ii) Is there a vector in the codomain of T which is not in the range of T ?

Justify your answer.